

RECEIVED
CENTRAL FAX CENTER

MAY 19 2005

PATENT
ATTY. DOCKET NO. EDE/03CIP

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant : James E. Barker Art Unit: 3671
Serial No. : 10/765,263 Examiner:
Filed : January 27, 2004
For : UTILITY TRENCHING AND SIDEWALK SYSTEM

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450


Via Facsimile

STATUS INQUIRY

In checking our files, we find that we have not received any action in the above-identified application since it was filed. We are concerned with the possibility that an Office Action was issued and possibly misplaced or lost in the mail. Kindly check your files and let us know the status of this case. If any Action has been issued, we would appreciate it very much if you would send us a copy or advise when we might expect to hear further on this matter.

If any petition for extension of time is necessary to accompany this communication, please consider this paper a petition for such an extension of time, and apply the appropriate extension of time fee to Deposit Account 23-3000. If any other charges or credits are necessary to complete this communication, please apply them to Deposit Account 23-3000.


Respectfully submitted,



David W. Dorton
Reg. No. 51,625

DWD:khh
Wood, Herron & Evans, L.L.P.
2700 Carew Tower
441 Vine Street
Cincinnati, OH 45202-2917
Voice: (513) 241-2324/Facsimile: (513) 241-6234

I hereby certify that this correspondence is being sent via facsimile (703-872-9306) to Art Unit 3671 at U.S. Patent Office, P.O. Box 1450, Alexandria, VA 22313-1450 on the date indicated below:


M. Karen Burgoyne5/19/05
Date

BEST AVAILABLE COPY